ELSEVIER

Neuroscience Letters 251 (1998) 210–213

Neuroscience Letters

Author Index to Volume 251

Addicks, K., see Andressen, C., 165
Addicks, K., see Hess, A., 185
Ahveninen, J., see Shtyrov, Y., 141
Ali, S.F., see Binienda, Z., 173
Alku, P., see Shtyrov, Y., 141
Alliot, F., Rutin, J., Pessac, B., Ly-6C is expressed in brain vessels endothelial cells but not in microglia of the mouse, 37
Altschuler, R.A., see Munemoto, Y., 101
Alvarez, J., see Gaete, J., 197
Andersson, J.L.R., see Fischer, H., 137
Andressen, C., Arnhold, S., Puschmann, M., Bloch, W., Hescheler, J., Fässler, R., Addicks, K., β1 integrin deficiency impairs migration and differentiation of mouse embryonic stem cell derived neurons, 165
Arnhold, S., see Andressen, C., 165
Asanuma, M., see Iwata, E., 49

Bär, P.R., see Houweling, D.A., 193
Barajas, L., see Liu, L., 161
Barone, F.C., see Spera, P.A., 189
Belzunces, L.P., see Vandame, R., 57
Beydagi, H., see Ergenoglu, T., 61
Biermann, K., Schmitz, F., Witte, O.W., Konczak, J., Freund, H.-J., Schnitzler, A., Interaction of finger representation in the human first somatosensory cortex: a neuromagnetic study, 13
Binienda, Z., Simmons, C., Hussain, S., Slikker Jr., W., Ali, S.F., Effect of acute exposure to 3-nitropropionic acid on activities of endogenous antioxidants in the rat brain, 173
Bisby, M.A., see Ramer, M.S., 53
Bliss, T.V.P., see Richter-Levin, G., 41
Bloch, W., see Andressen, C., 165
Bloch, W., see Hess, A., 185
Burton, M.D., see Krause, W.L., 153

Cairns, N., see Hermon, M., 45
Cairns, N.J., see Grazia Spillantini, M., 205
Chang, C.-K., see Niu, C.-S., 145
Cheng, J.-T., see Niu, C.-S., 145
Cho, H., see Munemoto, Y., 101
Chopde, C.T., see Khisti, R.T., 85
Clark, J.D., Tempel, B.L., Hyperalgesia in mice lacking the Kv1.1 potassium channel gene, 121
Cogswell, C.A., Sarkisian, M.R., Leung, V., Patel, R., D'Mello, S.R., LoTurco, J.J., gene essential to brain growth and development maps to the distal arm of rat chromosome 12, 5
Cossu, G., see Gómez-Wong, E., 125
Crocker, A.D., see Hemsley, K.M., 77
Crowther, A.R., see Grazia Spillantini, M., 205

Dahlström, A., see Hou, X.-E., 73
Demiralp, T., see Ergenoglu, T., 61
Devrim, M., see Ergenoglu, T., 61
D'Mello, S.R., see Cogswell, C.A., 5
Doi, T., see Munemoto, Y., 101
Dowler, S., see Hughson, E., 157
Drulović, J., Mostarica-Stojković, M., Lević, Z., Mesaroš, Š., Stojsavljević, N., Popadić, D., Pravica, V., Serum interleukin-12 levels in patients with multiple sclerosis, 129

Egly, J.-M., see Hermon, M., 45
Ellison, J.A., see Spera, P.A., 189
Ergenoglu, T., Demiralp, T., Beydagi, H., Karamürsel, S., Devrim, M., Ermutlu, N., Slow cortical potential shifts modulate P300 amplitude and topography in humans, 61
Ermutlu, N., see Ergenoglu, T., 61

Fässler, R., see Andressen, C., 165
Fabregat, N., see Gómez-Wong, E., 125
Ferré, S., see Popoli, P., 201
Fery, A., see Hermon, M., 45
Feuerstein, G.Z., see Spera, P.A., 189
Fischer, H., Andersson, J.L.R., Furmark, T., Fredrikson, M., Brain correlates of an unexpected panic attack: a human positron emission tomographic study, 137
Fredrikson, M., see Fischer, H., 137
Freund, H.-J., see Biermann, K., 13
Furmark, T., see Fischer, H., 137
Fuxe, K., see Popoli, P., 201

Gómez-Wong, E., Martí, M.J., Cossu, G., Fabregat, N., Tolosa, E.S., Valls-Solé, J., The 'geste antagonistique' induces transient modulation of the blink reflex in human patients with blepharospasm, 125
Gaete, J., Kameid, G., Alvarez, J., Regenerating axons of the rat require a local source of proteins, 1907
Geall, K., see Hughson, E., 157
Gill, J.S., Windebank, A.J., Paracrine production of nerve growth factor during rat dorsal root ganglion development, 149
Goedert, M., see Grazia Spillantini, M., 205
Grazia Spillantini, M., Crowther, A.R., Jakes, R., Cairns, N.J., Lantos, P.L., Goedert, M., Filamentous α-synuclein inclusions link multiple system atrophy with Parkinson's disease and dementia with Lewy bodies, 205

Hainsworth, A.H., see Smith, E.L.K., 89
Hamers, F.P.T., see Houweling, D.A., 193
Hashimoto, K., see Katsumori, H., 209
Hashimoto, N., see Takagi, Y., 25
Hayashi, Y., see Monji, A., 65
Hedrick, M.S., Morales, R.D., Parker, J.M., Pacheco, J.L.H., Nitric oxide modulates respiratory-related neural activity in the isolated brainstem of the bullfrog, 81

PII S0304-3940(98)00572-2

Hemsley, K.M., Crocker, A.D., The effects of an irreversible dopamine receptor antagonist, *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ), on the regulation of muscle tone in the rat: the role of the substantia nigra, 77
Henderson, J.T., see Ramer, M.S., 53
Henshall, D.C., see Tanaka, K., 69
Hermon, M., Cairns, N., Egly, J.-M., Fery, A., Labudova, O., Lubec, G., Expression of DNA excision-repair-cross-complementing proteins p80 and p89 in brain of patients with Down Syndrome and Alzheimer's disease, 45
Hescheler, J., see Andressen, C., 165
Hess, A., Bloch, W., Su, J., Stennert, E., Addicks, K., Michel, O., Localisation of the nitric oxide (NO)/cGMP-pathway in the vestibular system of guinea pigs, 185
Horikawa, F., see Takagi, Y., 25
Hou, X.-E., Michael, G.J., Priestley, J.V., Dahlström, A., Growth associated protein 43 (GAP-43) mRNA is upregulated in the rat superior cervical ganglia after preganglionic transection, 73
Houweling, D.A., van Asseldonk, J.T.H., Lankhorst, A.J., Hamers, F.P.T., Martin, D., Bär, P.R., Joosten, E.A.J., Local application of collagen containing brain-derived neurotrophic factor decreases the loss of function after spinal cord injury in the adult rat, 193
Htain, W.-W., Leong, S.-K., Ling, E.-A., Effects of interleukin-3 injection on supraventricular amoeboid microglial cells in neonatal BALB/c and athymic mice, 133
Hughson, E., Dowler, S., Geall, K., Johnson, G., Rumsby, M., Rat oligodendrocyte O-2A precursor cells and the CG-4 oligodendrocyte precursor cell line express cadherins, β-catenin and the neural cell adhesion molecule, NCAM, 157
Hunt, S.P., see Richter-Levin, G., 41
Hussain, S., see Binienda, Z., 173

Iida, A., see Iwata, E., 49
Ilmoniemi, R.J., see Shtyrov, Y., 141
Inouye, S.-I.T., see Shinohara, K., 21
Ito, H., see Yoon, Y.-S., 17
Iwata, E., Miyazaki, I., Asanuma, M., Iida, A., Ogawa, N., Protective effects of nicergoline against hydrogen peroxide toxicity in rat neuronal cell line, 49

Jabłońska, B., see Koczyk, D., 29
Jakes, R., see Grazia Spillantini, M., 205
Jalonen, T.O., see Kort, J.J., 1
Johnson, G., see Hughson, E., 157
Joosten, E.A.J., see Houweling, D.A., 193
Jou, S.-B., see Niu, C.-S., 145

Kameid, G., see Gaete, J., 197
Karamürsel, S., see Ergenoglu, T., 61
Katayama, Y., see Soeda, H., 93
Katsumori, H., Hashimoto, K., Tomitaka, S.-i., Osawa, M., Minabe, Y., Corrigendum to "Acute effect of c-fos antisense oligodeoxynucleotide on hippocampal partial seizures elicited by electrical stimulation in rats" [Neurosci. Lett. 225 (1997) 149–152], 209
Kawaja, M.D., see Ramer, M.S., 53
Kazemi, H., see Krause, W.L., 153
Khisti, R.T., Mandhane, S.N., Chopde, C.T., The neurosteroid 3α-hydroxy-5α-pregnan-20-one induces catalepsy in mice, 85
Kitajiri, M., see Munemoto, Y., 101
Koczyk, D., Jabłońska, B., Spatiotemporal changes in hippocampal NMDA receptor binding as a consequence of trimethyltin neurotoxicity in the rat, 29
Komeda, M., see Munemoto, Y., 101
Konczak, J., see Biermann, K., 13
Kort, J.J., Jalonen, T.O., The nef protein of the human immunodeficiency virus type 1 (HIV-1) inhibits a large-conductance potassium channel in human glial cells, 1
Kozawa, Y., see Soeda, H., 93
Krause, J.E., see McCarson, K.E., 113
Krause, W.L., Kazemi, H., Burton, M.D., Potential role for imidazole in the rhythmic respiratory activity of the in vitro neonatal rat brainstem, 153
Kujala, T., see Shtyrov, Y., 141
Kuo, D.-H., see Niu, C.-S., 145
Kuriyama, H., see Munemoto, Y., 101

Labudova, O., see Hermon, M., 45
Lai Tang, P., see Ming Qian, Z., 9
Lankhorst, A.J., see Houweling, D.A., 193
Lantos, P.L., see Grazia Spillantini, M., 205
Leong, S.-K., see Htain, W.-W., 133
Lestienne, F.G., Thullier, F., Performance of visually triggered wrist movements task in monkey: an application of information theory to evaluate deficits following unilateral substantia nigra pars reticulata lesion, 177
Leung, V., see Cogswell, C.A., 5
Lević, Z., see Drulović, J., 129
Liao, S.-S., see Niu, C.-S., 145
Lin, L.-S., see Niu, C.-S., 145
Ling, E.-A., see Htain, W.-W., 133
Liu, G.L., see Liu, L., 161
Liu, L., Liu, G.L., Barajas, L., Evidence for NOS-containing renal neuronal somata transiently expressing a catecholaminergic phenotype during development in the rat, 161
LoTurco, J.J., see Cogswell, C.A., 5
Lubec, G., see Hermon, M., 45

Mandhane, S.N., see Khisti, R.T., 85
Martí, M.J., see Gómez-Wong, E., 125
Martin, D., see Houweling, D.A., 193
Matsumoto, A., see Munemoto, Y., 101
Matsumura, E., see Sakaguchi, M., 97
McCarson, K.E., Krause, J.E., McLean, S., Chronic non-peptide neurokinin receptor antagonist treatment alters striatal tachykinin peptide and receptor gene expression in the rat, 113
McGeer, P.L., see Walker, D.G., 109
McLean, S., see McCarson, K.E., 113
Mei Pu, Y., see Ming Qian, Z., 9
Mesaroš, Š., see Drulović, J., 129
Micci, M.-A., see Yallampalli, S., 105
Michael, G.J., see Hou, X.-E., 73
Michel, O., see Hess, A., 185
Minabe, Y., see Katsumori, H., 209
Ming Qian, Z., Mei Pu, Y., Lai Tang, P., Wang, Q., Transferrin-bound iron uptake by the cultured cerebellar granule cells, 9
Mishima, H., see Soeda, H., 93
Mishina, M., see Munemoto, Y., 101
Miyazaki, I., see Iwata, E., 49

Molander, C., see Puigdellívol-Sánchez, A., 169
Monji, A., Tashiro, K.-i., Hayashi, Y., Yoshida, I., Tashiro, N., The inhibitory effect of laminin 1 and synthetic peptides deduced from the sequence in the laminin α1 chain on Aβ40 fibril formation in vitro, 65
Morales, R.D., see Hedrick, M.S., 81
Mostarica-Stojković, M., see Drulović, J., 129
Munemoto, Y., Kuriyama, H., Doi, T., Sato, K., Matsumoto, A., Sugatani, J., Cho, H., Komeda, M., Altschuler, R.A., Kitajiri, M., Mishina, M., Yamashita, T., Auditory pathway and auditory brainstem response in mice lacking NMDA receptor ϵ1 and ϵ4 subunits, 101
Murayama, K., see Sakaguchi, M., 97

Näätänen, R., see Shtyrov, Y., 141
Nakazawa, A., see Yoon, Y.-S., 17
Niu, C.-S., Chang, C.-K., Lin, L.-S., Jou, S.-B., Kuo, D.-H., Liao, S.-S., Cheng, J.-T., Modification of superoxide dismutase (SOD) mRNA and activity by a transient hypoxic stress in cultured glial cells, 145
Noma, T., see Yoon, Y.-S., 17
Nowak, J.Z., see Zawilska, J.B., 33
Nozaki, K., see Takagi, Y., 25

Ogawa, N., see Iwata, E., 49
Osawa, M., see Katsumori, H., 209

Pèzzola, A., see Popoli, P., 201
Pacheco, J.L.H., see Hedrick, M.S., 81
Parker, J.M., see Hedrick, M.S., 81
Patel, R., see Cogswell, C.A., 5
Pessac, B., see Alliot, F., 37
Popadić, D., see Drulović, J., 129
Popoli, P., Reggio, R., Pèzzola, A., Fuxe, K., Ferr, S., Adenosine A_1 and A_{2A} receptor antagonists stimulate motor activity: evidence for an increased effectiveness in aged rats, 201
Prats-Galino, A., see Puigdellívol-Sánchez, A., 169
Pravica, V., see Drulović, J., 129
Priestley, J.V., see Hou, X.-E., 73
Puigdellívol-Sánchez, A., Prats-Galino, A., Ruano-Gil, D., Molander, C., Sciatic and femoral nerve sensory neurones occupy different regions of the L4 dorsal root ganglion in the adult rat, 169
Puschmann, M., see Andressen, C., 165

Ramer, M.S., Kawaja, M.D., Henderson, J.T., Roder, J.C., Bisby, M.A., Glial overexpression of NGF enhances neuropathic pain and adrenergic sprouting into DRG following chronic sciatic constriction in mice, 53
Reggio, R., see Popoli, P., 201
Richter-Levin, G., Thomas, K.L., Hunt, S.P., Bliss, T.V.P., Dissociation between genes activated in long-term potentiation and in spatial learning in the rat, 41
Roder, J.C., see Ramer, M.S., 53
Ruano-Gil, D., see Puigdellívol-Sánchez, A., 169
Rumsby, M., see Hughson, E., 157
Rutin, J., see Alliot, F., 37

Sakaguchi, M., Murayama, K., Yabe, K., Satoh, M., Takeuchi, M., Matsumura, E., β-Casomorphin-5 stimulates neurite outgrowth in a mouse neuroblastoma cell line (Neuro-2a), 97
Sarkisian, M.R., see Cogswell, C.A., 5
Sato, K., see Munemoto, Y., 101
Satoh, M., see Sakaguchi, M., 97
Schmitz, F., see Biermann, K., 13
Schnitzler, A., see Biermann, K., 13
Scott, R.H., see Sutton, K.G., 117
Shimosaka, S., see Tanaka, K., 69
Shinohara, K., Tominaga, K., Inouye, S.-I.T., Luminance-dependent decrease in vasoactive intestinal polypeptide in the rat suprachiasmatic nucleus, 21
Shtyrov, Y., Kujala, T., Ahveninen, J., Tervaniemi, M., Alku, P., Ilmoniemi, R.J., Näätänen, R., Background acoustic noise and the hemispheric lateralization of speech processing in the human brain: magnetic mismatch negativity study, 141
Simmons, C., see Binienda, Z., 173
Simon, R.P., see Tanaka, K., 69
Skene, D.J., see Zawilska, J.B., 33
Slikker Jr., W., see Binienda, Z., 173
Smith, E.L.K., Hainsworth, A.H., Acute effects of interleukin-1β on noradrenaline release from the human neuroblastoma cell line SH-SY5Y, 89
Soeda, H., Tatsumi, H., Kozawa, Y., Mishima, H., Katayama, Y., Visualization of calcium channels involved in transmitter release from neuronal growth cones, 93
Spera, P.A., Ellison, J.A., Feuerstein, G.Z., Barone, F.C., IL-10 reduces rat brain injury following focal stroke, 189
Stapleton, S.R., see Sutton, K.G., 117
Stennert, E., see Hess, A., 185
Stojsavljević, N., see Drulović, J., 129
Su, J., see Hess, A., 185
Sugatani, J., see Munemoto, Y., 101
Sugino, T., see Takagi, Y., 25
Sutherland, G.R., see Tyson, R.L., 181
Sutton, K.G., Stapleton, S.R., Scott, R.H., Inhibitory actions of synthesised polyamine spider toxins and their analogues on Ca^{2+}-activated Cl^- currents recorded from cultured DRG neurones from neonatal rats, 117

Taglialatela, G., see Yallampalli, S., 105
Takagi, Y., Horikawa, F., Nozaki, K., Sugino, T., Hashimoto, N., Yodoi, J., Expression and distribution of redox regulatory protein, thioredoxin during transient focal brain ischemia in the rat, 25
Takeuchi, M., see Sakaguchi, M., 97
Tanaka, K., Henshall, D.C., Waga, S., Shimosaka, S., Simon, R.P., Bilateral intranigral NMDA infusion suppresses neuronal injury without affecting the duration of kainic acid-induced seizures in rats, 69
Tashiro, K.-i., see Monji, A., 65
Tashiro, N., see Monji, A., 65
Tatsumi, H., see Soeda, H., 93
Tempel, B.L., see Clark, J.D., 121
Tervaniemi, M., see Shtyrov, Y., 141
Thomas, K.L., see Richter-Levin, G., 41
Thullier, F., see Lestienne, F.G., 177
Tolosa, E.S., see Gómez-Wong, E., 125
Tominaga, K., see Shinohara, K., 21
Tomitaka, S.-i., see Katsumori, H., 209
Tyson, R.L., Sutherland, G.R., Labeling of *N*-acetylaspartate and *N*-acetylaspartylglutamate in rat neocortex, hippocampus and cerebellum from [1-^{13}C]glucose, 181

Valls-Solé, J., see Gómez-Wong, E., 125
van Asseldonk, J.T.H., see Houweling, D.A., 193

Vandame, R., Belzunces, L.P., Joint actions of deltamethrin and azole fungicides on honey bee thermoregulation, 57

Waga, S., see Tanaka, K., 69
Walker, D.G., McGeer, P.L., Vitronectin expression in Purkinje cells in the human cerebellum, 109
Wang, Q., see Ming Qian, Z., 9
Windebank, A.J., see Gill, J.S., 149
Witte, O.W., see Biermann, K., 13

Yabe, K., see Sakaguchi, M., 97
Yallampalli, S., Micci, M.-A., Taglialatela, G., Ascorbic acid prevents β-amyloid-induced intracellular calcium increase and cell death in PC12 cells, 105
Yamashiro, Y., see Yoon, Y.-S., 17
Yamashita, T., see Munemoto, Y., 101
Yodoi, J., see Takagi, Y., 25
Yoon, Y.-S., Noma, T., Yamashiro, Y., Ito, H., Nakazawa, A., Molecular cloning and characterization of the gene encoding human NeuroD, 17
Yoshida, I., see Monji, A., 65

Zawilska, J.B., Skene, D.J., Nowak, J.Z., 5-Methoxytryptophol rhythms in the chick pineal gland: effect of environmental lighting conditions, 33